

NIH Public Access

Author Manuscript

Proteins. Author manuscript; available in PMC 2012 October 1

Published in final edited form as: *Proteins.* 2011 October ; 79(10): 2920–2935. doi:10.1002/prot.23129.

Progress in Super Long Loop Prediction

Suwen Zhao¹, Kai Zhu², Jianing Li¹, and Richard A. Friesner^{1,*}

¹Department of Chemistry, Columbia University, New York, New York

²Schrödinger, Inc., New York, New York

Abstract

Sampling errors are very common in super long loop (referring here to loops that have more than thirteen residues) prediction, simply because the sampling space is vast. We have developed a dipeptide segment sampling algorithm to solve this problem. As a first step in evaluating the performance of this algorithm, it was applied to the problem of reconstructing loops in native protein structures. With a newly constructed test set of 89 loops ranging from 14 to 17 residues, this method obtains average/median global backbone root-mean-square deviations (RMSDs) to the native structure (superimposing the body of the protein, not the loop itself) of 1.46/0.68 Å. Specifically, results for loops of various lengths are 1.19/0.67 Å for 36 fourteen-residue loops, 1.55/0.75 Å for 30 fifteen-residue loops, 1.43/0.80 Å for 14 sixteen-residue loops, and 2.30/1.92 Å for 9 seventeen-residue loops. In the vast majority of cases, the method locates energy minima that are lower than or equal to that of the minimized native loop, thus indicating that the new sampling method is successful and rarely limits prediction accuracy. Median RMSDs are substantially lower than the averages because of a small number of outliers. The causes of these failures are examined in some detail, and some can be attributed to flaws in the energy function, such as pi-pi interactions are not accurately accounted for by the OPLS-AA force field we employed in this study. By introducing a new energy model which has a superior description of pi-pi interactions, significantly better results were achieved for quite a few former outliers. Crystal packing is explicitly included in order to provide a fair comparison with crystal structures.

Keywords

long loop build; conformational sampling; computational cost

INTRODUCTION

One of the most important and challenging tasks in protein modeling is the prediction of loops. A number of different approaches have been developed and over time there has been a gradual improvement of predictive accuracy.^{1–16} These methods can be roughly divided into two classes: *ab initio* (conformational search) and database search (or knowledge based) methods. A*b initio* methods build sterically feasible loop conformations from scratch, while database search methods attempt to find a fragment from databases in the Protein Data Bank that packs optimally into the space available to the target loop. Recently advances in *ab initio* loop prediction have reached remarkable accuracy for loops up to thirteen residues.^{6,12,13,16} Significant progress in database search methods, the prediction qualities of most of the methods degrade as loops get longer.^{1–12} Despite the fact that the occurrences of

^{*}Correspondence to: Richard A. Friesner, Department of Chemistry, Columbia University, New York, NY 10027. rich@chem.columbia.edu.

loops longer than thirteen residues in Protein Data Bank are not as frequent as for shorter loops, long insertions or deletions are very common in template-based protein structure prediction, and many examples can be found from targets in Critical Assessment of Structure Prediction (CASP, information about CASP can be obtained from http://predictioncenter.org/). Loops of this length can also be quite important from a functional point of view, in many cases lining active site cavities and interacting extensively with ligands binding to the active site. In this situation, it is necessary to use *ab initio* methods to predict the structure in that region. Our goal is to develop an *ab initio* method for super long loops that is both accurate and efficient in its ability to predict native-like conformations.

There are two principal challenges that are common to all high resolution protein structure prediction methods: sampling and scoring. The two issues are in fact entangled with each other in many if not most cases. Many loop prediction approaches begin with the generation of a large number of loops and then use some scoring function to select those candidates that are energetically favorable. Currently many scoring functions, including the one we use in PLOP^{6,12}, can do a very good job in identifying native-like conformations if they are sampled. However, if the conformations generated are not very close to or even far from the native loop, refinement of the model fails to progress adequately. This picture highlights the importance of sampling, especially for long loops. One of the main obstacles in long loop sampling is the combinatorial problem: the number of possible conformations of a loop grows exponentially with the length of the loop. In spite of a lot of efforts, such as hierarchical loop prediction algorithm with multiple stages, has been made in our group to alleviate this problem^{6,12}, sampling failures appear frequently when the current methodology (i.e. that in in the released version of PLOP, as described in refs. 6 and 12) is applied to super long loops.

We have developed a new approach, based on a dipeptide segment sampling algorithm for super long loops, which is implemented in PLOP, our in-house software. When applying to the newly constructed test set with loops ranging from 14 to 17 residues, this algorithm produced substantial improvements as compared to the most recent PLOP loop sampling algorithm reported in the literature. The algorithm is similar to that which we used previously^{6,12}, the most important modification is to use dipeptide segment sampling instead of single residue sampling. In the following part of this paper, a brief review of our previous method and a description of our new sampling method will be provided in Materials and Methods. In the Results and Discussion section, we present the results of applying this method to the super long loop test set, and then examine the implications of the results with regard to the using of dipeptide sampling method. We find that a high fraction of results are improved as compared to prior work, but some outliers remain. We have tested the effect of replacing our current energy and solvation model with a preliminary version of a modified model which has been optimized to improve side chain prediction accuracy, and this substantially reduces outliers due to both sampling and scoring failures. Finally, in the Conclusion, we summarize our results and discuss the future directions.

MATERIALS AND METHODS

In previous work⁶, the Hierarchical Loop Prediction (HLP) algorithm, which is implemented in our in-house software PLOP, has been tested for its ability to reconstruct protein loops in crystal structures for a wide range of loops up to 10 residues. The sampling algorithm and energy function of HLP have been improved in our group for longer loops¹², ranging in the length from 11 to 13 residues. However, both HLP and the improved method are not effective enough for super long loops. Here super long loops refer to loops longer than 13 residues. In current paper, a new algorithm has been developed, which is a modification of the improved method, introducing a more powerful and robust sampling method designed for super long loops: dipeptide segment sampling assisted by single residue sampling when necessary. A full description of the previous protocols can be found elsewhere.^{6,12} We will provide an overview of our previous methods, and then discuss the features of our new method in detail, reviewing previous methods when appropriate.

Overview of Previous Methods

The previously published methods of a full loop prediction involve a hierarchy of stages. In each stage, there are multiple single loop predictions. The lowest energy loops generated from one stage are passed to the next, where more focused sampling is performed.

Specifically, as shown in Figure 1, the initial structure is passed to three, parallel, initial prediction stages (only one is shown) labeled "Init." The three initial stages differ by the use of five different steric overlap factors: 0.50, 0.55, 0.60, 0.65 and 0.70, respectively. The steric overlap factor is defined as the ratio of the distance between two atom centers to the sum of their van der Waals radii, and specifies the criterion for rejection of an initially constructed candidate loop (i.e., when the steric overlap factor for any atom of the loop backbone exceeds the stipulated threshold, the candidate is discarded). Other steps in the initial structure generation algorithm, such as clustering of similar loops, side chain optimization, minimization, and final selection of low energy structures, are described in references 6 and 12. The resulting five nonredundant (RMSD between any two structures is larger than 0.7 Å) lowest energy structures from each of the initial stages (25 in total) are passed as new starting structures to the parallel refinement stages (only one is shown in Fig. 1) labeled "Ref1".

In the first refinement stage, each model retained from initial stage is subjected to a 4 Å constraint on each C α atom in the loop during sampling. The sampling protocol discussed above is rerun with this constraint in place, focusing the sampling effort in a substantially smaller region of phase space for each simulation seeded with a given model. Finally, the five nonredundant lowest energy loops from all "Ref1" stages are passed to the next stage, that is, the first fixed stage labeled "Fix1".

Fixed stages are optional, but they significantly improve the accuracy for long loops; the algorithm is described in more detail in reference 12. Usually there is more than one fixed stages in a full loop prediction, they are denoted as "Fix1", "Fix2", etc. In each fixed stage, several short fragments of the target loop will be predicted for each model while other parts of the loop are fixed on their given conformations. Here we take a 14-residue loop prediction as an example. In "Fix1" stages, one terminal residue in either end of the loop is fixed, so there are two possible positions for each 13-residue loop. Then we do two 13residue loop predictions on each model and pass a few best (that is, nonredundant and lowest energy) resulting models to "Fix2" stages. In "Fix2" stages, totally two terminal residues from both ends of the loop need to be fixed, so there are three possible positions for each 12-residue loop. Three 12-residue loop predictions will be performed on each model and then several best resulting models will be passed to the next stage, that is, stage "Fix3". In "Fix3" stages, totally three terminal residues from both ends of the loop need to be fixed, four 11-residue loop predictions will be performed for each model and so on. After the last fixed stages, a few best models are passed to the second refinement stages (only one is shown in Fig. 1) labeled as "Ref2".

In stage "Ref2", the C α atoms in the loop are constrained to less than 2 Å from their starting coordinates. Loop prediction proceeds as in the Ref1 stage discussed above, with the tighter constraint to the initial seed providing a still greater focusing of phase space in performing the sampling. Finally, the lowest energy loop from all stages is taken as the predicted loop.

A full loop prediction algorithm involves multiple executions of PLOP, enabling additional sampling effort to be focused on loop subsections that are constrained to lie in regions of phase space that have previously identified as promising. In each stage of a full loop prediction, multiple single loop predictions are executed with different input parameters. One single loop prediction corresponds to the execution of the PLOP once. Each single loop prediction consists of four basic stages: buildup, clustering, loop side chain optimization and complete energy minimization.

Buildup refers to the generation of an initial set of loop conformations that will be passed on to the subsequent stages. The cornerstone of our previous loop sampling methodology is dihedral angle search, which is conducted via "rotamer libraries" for backbone dihedral angles (i.e., discretized version of the well-known Ramachandran plot). To obtain the dihedral angle libraries, a large (>500 structures), nonredundant database of high-resolution (<2 Å) protein crystal structures have been used and every backbone dihedral angle was recorded. The dihedral angles were then binned every 5°, and every (ϕ , ψ) combination that appeared more than five times in the database was included in the backbone library. The resultant library, at 5° resolution, contains 747 (ϕ , ψ) combinations for Gly, 215 for Pro, and 866 for all other residue types.

The extreme high resolution of the backbone libraries was chosen to ensure that discretization error does not fundamentally limit the achievable accuracy. However, it also magnifies the exponential scaling of conformational space and computational expense. In practice it is not possible to sample the backbone dihedral angle for a loop of any nontrivial length using such a large library. Effective sampling resolution is used to alleviate the problem. For a single residue, first the entire list of (ϕ, ψ) combinations is screened for steric clashes. For computational efficiency, the screening is accomplished through the use of the overlap factor. Multiplying the overlap factor by the sum of the van der Waals radii for a given pair of atoms yields a cutoff. A clash occurs when the distance between the atoms is less than the cutoff. The default overlap factor of 0.70 is used in PLOP. Then, the screened rotamers are further filtered, retaining a set of (ϕ, ψ) states in which all pairs of states obey the relation: $\Delta \phi^2 + \Delta \psi^2 > R_{eff}^2$, here R_{eff} is the "effective resolution". That is, the distance between any two states in the set should be greater than certain cutoff.

The effective sampling resolution is chosen in an adaptive manner. The strategy is to define in advance the minimum and maximum number of loops to be generated for a particular loop length. If n is the loop length in residues, for loops no longer than nine residues, the minimum number is 2^{n} ; for loops longer than nine residues, the minimum number does not increase with the loop length any more, but fixes at 2^{9} , that is, 512. The maximum number is 10^{6} for loops with any length. The effective resolution is then gradually decreased from a very coarse value (300°), until the number of generated loops is intermediate between the minimum and maximum numbers.

Loop buildup starts from both ends of the loop independently. Closed loops are generated by applying a loop closure algorithm in the middle of the loop. The all closed loops are subjected to a series of screens: N-C α -C angle, backbone dihedral angles and sufficient space for the side chain on the closure residue, and steric clashes between the two halves of the loop.

The dihedral angle-sampling buildup procedure can generate many millions of loop candidate structures. These loops have already been screened to ensure no steric clashes and sufficient space for the side chains. Then we use the K-means clustering algorithm to select representative loop candidates.

For each loop representative, the loop side chains are then added and optimized. The sampling of single side chain conformations was accomplished by using a highly detailed (10° resolution) rotamer library constructed by Xiang & Honig from a database of 297 proteins.³¹ This library contains, for example, 2086 rotamers for lysine. The additional computational expense of such a detailed library was tolerated in order to ensure adequate sampling. In addition, the expense was mitigated by pre-screening the rotamers using only hard sphere overlap as a criterion, allowing many rotamers to be excluded before performing any energy evaluations. All loop side chains are initially built on to the fixed backbone in a random rotamer state (each side chain is randomly picked from its pre-screened clash-free rotamer sets), and then each side chain in the loop is optimized one at a time, holding the others fixed. Here the optimization means choosing the side chain rotamer with lowest energy. The procedure is iterated to convergence, that is, the optimization stops until no side chain(s) changing rotamer states compared to the previous iteration. The very details can be found in our previous paper.¹⁷

After convergence is achieved, each representative loop is completely energy minimized in Cartesian coordinates to (relax the backbone and side chains). Finally, side chain optimization described above is applied again (this time with a different backbone structure). Energy is calculated for the final structure of each representative loop. The loop with the lowest energy is chose as the predicted structure.

There are two aspects that contribute to the success of the sampling algorithm in our previous methodology. The first refers to the way that a single loop prediction builds up many candidates, screens and clusters them, and picks out the representatives for scoring and ranking; the second refers to a full loop prediction that utilizes a variety of ways to sample the low-energy region of conformational space via many PLOP calls in which the options for each execution vary. The second aspect plays a greater role as loops get longer.

An all-atom force field energy with implicit solvent is calculated for each sampled loop, and the loops are then ranked by energy. The energy is calculated using the Optimized Potential for Liquid Simulations (OPLS) all-atom force field^{18–20}, the Surface Generalized Born (SGB) model of polar solvation²¹, an estimator for the nonpolar component of the solvation free energy developed by Gallicchio et al.²², and a number of correction terms as detailed in Ghosh et al.²¹ and in Jacobson et al.²⁰ In addition, Zhu et al.¹² have also incorporated an additional hydrophobic term adapted from the ChemScore²³ scoring function, which has been successfully used to describe the hydrophobic contribution to the binding free energy between ligands and protein receptors. The hydrophobic term appears to approximately fix a major flaw in SGB solvation model described above.

Crystal packing is included. The simulation system consists of one asymmetric unit and all atoms from other surrounding symmetric units that are within 30 Å. Every copy of the asymmetric unit is identical at every stage of the calculation.

Dipeptide Sampling Method

In this work, we develop a dipeptide segment based sampling algorithm, while the previous single residue based sampling algorithm is still kept as an important supplement. The single residue based dihedral angle sampling (referred to as single residue sampling) algorithm has achieved great success for a wide range of loops no longer than 10 residues in PLOP. However, as loops get longer, the power of the single residue sampling method decreases gradually: The number of generated loop conformations increases explosively and a lot of redundancies are generated.^{6,12} This is easy to understand, because the relation between dihedrals and backbone coordinates is nonlinear, a number of combinations of backbone dihedrals can lead to a very similar loop conformation. For example, essentially any

backbone dihedral can be rotated by a large amount and the rest of the loop can stay very similar if there are a series of small compensating changes in the remaining dihedrals. This problem becomes worse as loops get longer. As a result, the following two scenarios have been frequently seen, when predicting loops long than 13 residues. First, in the buildup stage of a super long loop, the generated loop candidates can easily break through the minimum limit, which is 512. For loops longer than nine residues, it could happen even when the effective sampling resolution is rather coarse. Effective sampling resolution is a threshold to select distinguishable backbone rotamers. PLOP starts with a high value (300°) of effective sampling resolution and decreases gradually until the generated loops exceed the minimum number of conformations required by the program. A lot of cases show that the minimum can be easily broken through when the effective sampling resolution stays as high as 60° to 80°, which means only a few backbone rotamers are selected for each residue. Thus the overall quality and variety of generated loops are very limited. Second, frequently there is a sudden explosion of loop candidates when the effective resolution is decreased by a step (1-10), sometimes the maximum limit (10^6) could be reached. Then PLOP gets stuck there, takes forever to finish the closure and screening of loops, and often crashes the node. These situations happen to thirteen-residue loops sometimes, but even more frequently for loops that are longer.

A sampling algorithm that could bring down the huge number of generated loop candidates in the buildup stages as well as increase the realized effective sampling resolution is needed and has recently been developed in our group. The algorithm is mainly based on dipeptide segment sampling (referred as dipeptide sampling), assisted by single residue sampling when necessary. Dipeptide sampling is similar to single residue sampling, but differs in the step size in torsion angle phase space. The step size of single residue sampling is (ϕ, ψ) , and the step size of dipeptide sampling is $(\varphi 1, \psi 1, \omega, \varphi 2, \psi 2)$. The first step is to build the dipeptide libraries. To build the libraries, we have used a large (3799 structures), diverse (percentage identity <30%) database of high resolution (<2 Å) protein crystal structures and recorded every backbone dihedral angle in loop regions. The dihedral angles were recorded in the format of sets, with each set having five consecutive dihedral angles ($\varphi 1, \psi 1, \omega, \varphi 2$, ψ 2). That is, each set is corresponding to a dipeptide segment, and the set is labeled by the name of the dipeptide it corresponds to. We only deal with the first twenty genetically encoded amino acids (not include Selenocysteine and Pyrrolysine) in our program, so totally there are 400 (20 by 20) different dipeptides, such as Ala-Lys, Pro-Gly and Thr-Phe, etc. Then all sets were attributed to one of the 400 groups, according to their labels. The angles in each group were then binned every 5°, and all (φ 1, ψ 1, ω , φ 2, ψ 2) combinations appeared in the group were included in the backbone library. The resultant 400 libraries, at 5° resolution, have 84711 sets of $(\varphi_1, \psi_1, \omega, \varphi_2, \psi_2)$ combination. That is, we have added 84711 backbone rotamers to our previous libraries which only have 747 rotamers for Gly, 215 rotamers for Pro, and 866 rotamers for all other residues. The number of dipeptide rotamers in each library is given in Table I.

In the single residue libraries, the backbone library shared by 18 residues (except Gly and Pro) has 866 rotamers, while the average number of rotamers of the dipeptide libraries in Table I is 211. Actually, only three dipeptide libraries (Gly-Gly, Gly-Asp and Asp-Gly) have more than 866 rotamers. The reason for less rotamers in most of the dipeptide libraries is pretty obvious. A large number of conformations for any two consecutive residues generated by the single residue sampling method have steric clashes between the two residues (including their side chains), and such sterically infeasible conformations have been excluded naturally when building the dipeptide libraries. In single residue sampling method, the correlation between side chains of two consecutive residues are not considered, remembering that 18 different residues share one backbone library, though obviously tryptophan only needs a much smaller library than alanine; furthermore, during the buildup

The 5° resolution keeps unchanged in the dipeptide libraries, in order to make sure the discretization error does not fundamentally limit the achievable accuracy. The high resolution offers a solid foundation for the accuracy of this method.

Effective sampling resolution still plays an important role in the new sampling algorithms. There is a slightly change in the effective sampling resolution by the implementation of dipeptide sampling. The old relation obeyed by filtered states is: $\Delta \phi^2 + \Delta \psi^2 > R_{eff}^2$, while the new relation is: $(\Delta \phi 1)^2 + (\Delta \psi 1)^2 + (\Delta \omega)^2 + (\Delta \phi 2)^2 + (\Delta \psi 2)^2 > R_{eff}^2$. With the same effective sampling resolution R_{eff} , the constraints on $\phi 1$, $\psi 1$, ω , $\phi 2$ and $\psi 2$ are tighter than that on ϕ and ψ .

Our buildup procedure continues independently from both sides of the loop up to the $C\alpha$ atom on the closure residue, the length (in residues) of a half loop can be even or odd, but the step size of dipeptide sampling is fixed at two residues. If a half loop has odd length, then the residue at the end of the half loop, that is, the residue next to the closure residue will be left aside. There are several ways to solve this problem. In this work, when constructing a half loop with odd length, we choose to use the single residue sampling method to add the last residue.

The following three stages in a single loop prediction, that is, closure, clustering and scoring, are similar to that in our previous work^{6,12}. The only difference is the method of adaptively increasing the number of clusters in K-means clustering algorithm^{24,25}. For K-means algorithm, the number of clusters must be prespecified. We empirically use four times the number of loops residues as the default value of number of clusters. Sometimes, after the initial clustering, there are some clusters that have a much larger spread (as judged by intra-cluster RMSD) than others. At this time, a simple method to adaptively increase the number of clusters with a large spread are split into three new clusters and the clustering algorithm is run again with the new clusters added. This procedure can be applied iteratively until the maximum number of cluster (sets to be four times the number of loop residues plus 30) is reached.

Test Set

Loop length verses frequency of loops with the length appeared in native proteins is shown in Figure 2. Statistics are calculated from ~4000 low sequence identity (<30%), high quality (<2 Å) proteins structures. Secondary structure assignment is done by DSSP approach, while loops are defined as the regions outside helices and strands. The relative rareness of loops longer than 13 residues puts a cap on the size of our test set. To using inadequately small data sets, we try to collect as many loops as we can, with the selection criteria described below. Finally, a test set with 89 target loops has been constructed, in which we have 36 fourteen, 30 fifteen, 14 sixteen and 9 seventeen-residue loops.

Selection Criteria

The selection criteria of our test set are similar to that we used before.^{6, 12} The PISCES web server (http://dunbrack.fccc.edu/PISCES.php) from Dunbrack's lab is used to generate the

protein list, from which loops targets are collected. The following criteria are used to ensure the selection of high-quality protein structures.

- 1. Low sequence identity. The percentage identity between any two proteins has to be < 30%.
- **2.** High resolution. The resolution of a structure has to be < 2.0 Å.
- 3. Crystal structure. Only structures obtained from X-ray crystallography are selected.
- 4. With both backbone and side chain information. Structures with only $C\alpha$ coordinates are excluded.
- 5. Low R-factor. The R-factor cutoff is set to 0.25.
- 6. Decent pH values. Only structures obtained under pH 6~8 are selected..

Target loops are then chosen from the proteins selected out by the above criteria. More rigorous criteria than that in our previous work have been applied to the target loop selection, which greatly increases the reliability of our data set.^{6,12} The major difference is that we introduce the real space R-factor criterion in this work, which is a is a more sophisticated description of structure quality than B-factor. Below we list the criteria we used to select target loops:

- **1.** The average temperature factor (B-factor) of atoms within the loop has to be < 35.00.
- **2.** The real space R-factor (RSR) of any residues in a selected target loop must not be greater than 0.200.
- 3. Any residue of a selected target loop must not have alternative structures.
- 4. The minimum overlap factor for any loop-atom has to be ≥ 0.70 .
- 5. The minimum distance between any loop atom and any atom from a neutral ligand or organic ion in the environment has to be > 4.0 Å. For a metal ion ligand, this cutoff is 6.5 Å.
- **6.** A selected loop must not contain any chain breaks, and the protein body must not contain any chain breaks that are close to (in 5 residues) any end of the loop.
- 7. A selected loop must not contain any secondary structure content longer than 3 residues.
- **8.** The presence of no less than four strand or helix residues on either end of selected loop.

The employment of temperature factor, overlap factor, and real space R-factor cutoffs aims at better quality of the structure in the loop region. It is for the same goal to filter away the structures with chain break and alternative structures. The distance cutoff for ligands and ions mitigates concerns as to whether the potential function is accurate for ligands and ions that potentially interact with the loop. The goal of all criteria enumerated above is to focus on evaluating the ability of the sampling algorithm and energy model to yield accurate loop predictions, without considering additional issues.

RMSD Calculation

The accuracy of loop prediction is evaluated by comparing it with the native conformation of the loop. A large variety of reasonable criteria for comparing loop conformations exist. The RMSD can be calculated from the superposition of the whole structures excluding the loop ("global" superimposition) or from the superimposition of the compared loop atoms

Protonation States of Titratable Residues

All titratable residues are placed in their standard protonation states at pH 7.0. Instead of sampling the protonation states or varying them under specified pH conditions, this is a good approximation as shown by our results. However, the prediction accuracy for a small number of cases might be affected due to such an approximation. Possible solutions have been discussed in other works²⁶.

RESULTS AND DISCUSSION

Overall Performance

Table II gives the summarized results obtained by our new sampling algorithm. The methodology obtains uniformly good results for 14- to 17-residue loop data sets, with overall average/median RMSD 1.46/0.68 Å. The median RMSD for each subset ranges from 0.67 to 1.92 Å. For 36 fourteen-residue loops, only 3 cases (8.1%) have RMSD larger than 2.0 Å. Fifteen-, sixteen- and seven-residue loop data sets have 22 out of 30 (73.3%), 11 out of 14 (78.6%) and 6 out of 9 (66.7%) cases with RMSD below 2.0 Å. A summary of the results is shown in Table III. Figure 3 compares the prediction loop and the native one in the context of the full-length protein in four selected cases.

Our results clearly represent a major advance as compared to our own previous loop prediction work, producing significantly lower median and mean RMSDs for 14 residue loops than we reported in ref. [30] for 13 residue loops³⁰. Direct comparison with the work of other groups in this area, even those carrying out ab initio prediction as opposed to using knowledge based methods, is difficult for a number of reasons. Two of the most significant are as follows: (1) we are including crystal packing effects explicitly, whereas most other studies do not include these effects (2) we are employing specific data sets with highly restrictive criteria applied to filter the test cases; other methods might well perform better on this test set than on the test sets that were actually employed by them in prior evaluations. As our objective in this paper is to test the sampling algorithm and energy model as carefully as possible against experiment, we believe that the use of crystal packing and elimination of loops with problematic resolution leads to the fairest comparison of this type. We have also run a small subset of cases, for which we determined that crystal packing effects on the target loop are unimportant, without crystal symmetry; these results are shown below. Explicit comparison between programs will require running these programs under identical conditions on the identical test set, and is reserved for future publications.

Dipeptide Sampling

Considering the high accuracy of our loop prediction results, it is the dipeptide sampling method that contributes the most significantly to the improvement. The chief problem of the high resolution dihedral angle sampling method is that the number of generated conformations scales exponentially with loop length, so does the computational expense of the sampling step. For years, a lot of efforts have been made to alleviate this problem in our group, and such effort include as effective sampling resolution and hierarchical loop prediction algorithm with fixed stages previously developed. All these techniques mitigate this problem to some extent. However, our loop prediction algorithm with all these techniques still fails frequently when applied to loops longer than 13 residues.

By switching to dipeptide sampling from single residue based sampling, our full loop prediction algorithm shows its powerful search ability for super long loops. It generally eliminates significant sampling errors (defined as big outliers (RMSD > 4.0 Å) with higher energy than native structure) in our results. For our 89 cases, there are eight cases (2BWR and 2C0H in 14-residue subset, 1ZHX, 2EAB and 3BF7 in 15-residue subset, 1DJ0 in 16-residue subset, 3H2G and 3HUH in 17-residue subset) showing significant sampling errors, according to an analysis of energy gaps. Further examinations are needed to exclude other factors (such as underestimated pi-pi interactions, and protonation states misassignment) that might cause the sampling errors.

The correlation between the two adjacent residues in dipeptide is considered in the dipeptide libraries, so some structure information not shown in the single residue libraries is now embedded in the dipeptide libraries. As a result, when searching through the information rich dipeptide libraries to build up loops, a lot of redundancies generated by single residue sampling should be removed. This is exactly what happened in our results: the huge number of generated loop candidates is greatly reduced and finer effective sampling resolution is achieved.

Figure 4 and Figure 5 compare the dipeptide sampling method with the single residue sampling method in two aspects: realized effective sampling resolution and number of generated loop candidates. 13-residue loops were selected as a test set for direct comparison using the criteria described above. The summary of the results is shown in Table IV.

Effective sampling resolution is the threshold to select distinguishable rotamers, it is directly related to the quality and variety of generated loop candidates. Finer realized effective sampling resolution often implies better results. Figure 4 shows the average realized effective sampling resolutions in each sampling stage for the 13-residue loop set, using single residue and dipeptide sampling, respectively. In each sampling stage, when using the dipeptide sampling method, the average realized effective sampling resolution is improved by 25° to 45°, compared to that when using single residue sampling. One should keep in mind that longer loops are much more difficult to predict, and usually have coarser realized effective sampling resolution. So it is not difficult to imagine that the discrepancies in Figure 4 would be even larger if the two sampling methods were applied to loops longer than 13 residues. We chose 13-residue loops to do the comparison, simply because single residue sampling method has terrible performance on loops longer than that length: either the required CPU time is extremely high, or the job could crash in the middle, due to the huge number of generated conformations.

Meanwhile, Figure 5 shows that, in each sampling stage, the average number of generated loops for the 13-residue loop set, using single residue and dipeptide sampling, respectively. In each sampling stage, when using dipeptide sampling method, the average number of generated loops is only about 8–17% of that when using single residue sampling method. Again, if the comparison in Figure 4 were made on longer loops, the improvement should be even bigger, since the average number of generated loops increases much faster with loop length when using single residue sampling method. With a much smaller number of generated loops, computational cost can be dramatically reduced by using dipeptide sampling method.

With significantly improved realized effective sampling resolution, better prediction results have been achieved. In each sampling stage, the sampling algorithm generates many loop candidates and ranks them according to the energy function. Several lowest energy models are passed to the next stage, in which the lowest energy model is called the predicted conformation of this stage. Figure 6 illustrate the average RMSD (to native) of the best-

predicted conformations in each sampling stage, for loops with 14, 15, 16 and 17 residues, respectively. For RMSDs of the predicted conformations in each sampling stage, there is a clear decreasing tendency, which tells that our hierarchical scheme still works very well in the super long loop regime. However, occasionally, the first refinement stage even gets worse results than the previous stage (eg. first refinement stage in 17-residue loop set). The first refinement stage puts a 4 Å Cartesian constraint on each C α atom in the target loop, aiming at to sample more finely in the promising region identified in the initial stage. However, for super long loops, lowest energy conformations generated in the initial stages have rather large RMSDs (as shown in Figure 6). A lowest energy conformation with a large RMSD most probably stays at or close to the bottom of a basin that corresponds to a local energy minimum, which is far from the deepest energy basin where the native stays. The extraordinarily rugged energy surface of super long loops, the limited ability of the energy function, combined with the constraint on C α atoms, result in less accuracy of the predicted structures in the first refinement stage in some loops.

About 10% of the 90 cases in our test set have either energy error or sampling error, as shown Table III. After carefully examining the outliers, we found that pi-pi stacking interactions are missing in several predicted loops while exist in their native conformations. Pi-pi stacking is generally thought of as being of significance when two aromatic rings interact in a planar geometry, but in fact, we see a wider variety of analogous interactions when a careful analysis of protein structures is performed, including for example interactions between a phenyl ring and the plane of the guanidium group in arginine. As a concrete illustration, consider the 14 residue loop in the protein 2BWR (B:158–B:171, as shown in Figure 7), the pi-pi interaction between Tyr162 and Arg167 exists in the native loop (in cyan) are missing in the predicted structure (in magenta). It should be noted that the traditional understanding of the enhanced energetics attributable to "pi-pi" interactions, which is related to high level quantum mechanical electron correlation effects, may not be the most important factor in explaining our observations and results. Empirically, what we have found is that flat functional groups in proteins which contain double bonds (of which benzene rings and the guanidinium side chain are examples) have a high propensity to pack together in a stacking geometry, and that our older energy model (OPLS-AA plus the SGB continuum solvation model) was unable to reproduce the frequency with which such structures occur. By adding a term to the energy which rewards the stacking of these chemical groups, we may in fact be correcting problems with the continuum solvation model (which may not properly capture the high efficiency with which stacked geometries exclude water from regions which cannot make hydrogen bonds effectively to water molecules).

Recently, a new energy function has been developed in our lab²⁹, in which a number of important changes, including an explicit pi-pi stacking interaction, have been incorporated. We have carried out a new set of calculations on the problematic loops in our test set, using identical sampling protocol, but replacing our old energy model with the new model. The details of this scoring function will be described in detail in reference 29; here, we examine its performance for our long loop data set. Importantly, no parameters have been adjusted to improve this performance (the parametrization was carried out using a completely independent set of individual side chain rotamer data) so the results shown here can be considered a fair test as to whether the predictive power of the new model in high resolution structural refinement is superior to the model we employed previously.

Many of the outliers are substantially improved in RMSD when the new energy model is used, as shown in Table V. The new energy model eliminates most energy errors (only three cases, 1JP4, 3BB7 and 3CSS, now exhibits RMSD greater than 2 Å when the energy gaps are negative), and even improves some of the sampling errors (presumably by stabilizing intermediate structures that appear in the various stages of the loop prediction process). This

dramatic reduction in energy errors without any explicit parameter adjustment is a clear demonstration of the superiority of the new energy model. Further work on the sampling algorithm is clearly indicated, as a number of significant sampling errors remain, and we plan to pursue this in future development efforts.

Different the sampling from many fragment assembly methods (e.g. the 3-residue and 9residue fragments in Rosetta), our method is unique based on these aspects below. First of all, our dipeptide rotamer library was built on a large variety of high resolution protein crystallographic structures, which not only ensures the reliability of the library but also allows the application of our method for modeling of all different kinds of proteins, while some fragment assembly methods build the fragments based on small proteins. Second, our dipeptide rotamers only contain explicit information of backbone conformations while fragments in other methods such as Rosetta contain side chain or reduced side chain information.²⁷ Furthermore, while fragments in many fragment assembly methods are applied as a sliding window along the protein chain, we don't use the dipeptide rotamers in an overlapping fashion in a sampling at one stage. Overall, our method of dipeptide sampling was built on a large reliable data set and could be applied for highly efficient and accurate loop modeling.

Crystal Packing

The impact of crystal environment to polar groups on the surfaces of proteins has been extensively discussed in previous works^{17,28}. In this work, crystal packing was explicitly included in our calculation in order to provide a fair comparison to the crystal structures. Although the additional information of crystal environment could reduce the sampling space to some extent, the calculation of loop prediction should be carried out under the same condition as the crystallographic experiment, for the purpose to test our methodology. In order to further understand the effect of crystal packing in our loop predictions, five 14-residue loop cases with little or some crystal contacts were tested with the same method we describe above except that crystal neighbors is removed. As shown in Table VI, the results obtained without crystal packing applied are highly consistent with those with crystal packing: the difference in predicted RMSDs ranges from 0.07 to 0.88 Å. This is a powerful evidence to show the effectiveness of our methodology regardless of crystal packing.

Computational Costs

When using dipeptide sampling method, the average number of generated loops in each sampling stage is less than 17% of that when using single residue sampling method (Shown in Figure 5). With many fewer generated loop candidates, the computational cost of the new sampling method is less expensive. Table VII compares the various statistics of computational time for loop sets with 11–13 residues in our previous work¹², and for loop sets with 14-17 residues in this work. All calculations were conducted on the same cluster of Intel or AMD processors in the range of 1.4GHz or 900MHZ. The computational jobs were randomly distributed into the processors of the cluster. Despite this, there is some difference in the performance of the various processors, but this does not affect the qualitative analysis of our methodology. The average CPU times for 14-, 15-, 16-, and 17residue loops are about 9, 13, 12 and 17 days, respectively. Unsurprisingly, the dipeptide sampling method is significantly faster than the single residue sampling method. For example, the statistical computational times of 17-residue loops, when using the dipeptide sampling method, are less than that of 12-residue loops with the single residue sampling method. Previously, when effective sampling resolution decreases, sometimes PLOP gets stuck by millions of generated conformations. The maximum time cost of the 13-residue data set (shown in Table VII) shows how long it will take when such scenario happens: nearly four months was used, about four times of the average. The new sampling method

eliminates this problem. The most time-consuming case took one and a half months, only 27% more than the average.

The jobs using single residue sampling algorithm in Table V were run under a time-saving mode. When turning the time-saving mode on, RMSDs of the generated loop conformations in the buildup stages are not calculated. When large numbers of conformations are generated, the RMSD calculation can be very time-consuming. For example, turning the time-saving mode on usually can save about 20% of total computational time for 13-residue long loops, when single residue sampling is used. In this work, the jobs were run with the time-saving mode off. If we turn it on, another 5–10% time could be saved, considering the averages of generated loop candidates in the buildup stages are close to half of that of the single residue sampling method.

Most of the calculations are highly parallel (5 parallel jobs in the initial stage, 15-30 jobs in the first refinement stage, (5-10 times (n+1)) jobs in the n-th fixed stage, 5 jobs in the second refinement stage). In all, there are about 150-200 jobs in a full loop prediction. We have a cluster with hundreds of processors, in average about 10 or more jobs can be run at the same time. As a result, most of our jobs can be finished in one to three days. Another 5-10% time can be saved if turning the time-saving mode on. In the future, we will continue to seek a variety of methods to speed up our algorithm and make it more efficient.

Finally, one can ask the question as to how the RMSD in the calculations is reduced as a function of the computation time that is utilized. The methods in PLOP are intended as high resolution methods (many much faster algorithms exist, and should be used if feasible, for example in cases with very high sequence identity in an available homologue and in the target loop in that homology), and we therefore have not explored performance if very low levels of CPU time are employed. Figure 8 below presents average CPU times and RMSDs for 15 residue loops as a function of the stage of the algorithm that has been reached (described in the text). It can be seen that there is a straightforward correlation between the expended CPU time and the quality of the result. Achieving high accuracy results requires relatively large amounts of CPU time as noted above. If low resolution predictions are desired, other methods are likely more cost effective.

Conclusion

We have developed an improved sampling algorithm, which is a modification of our algorithm described in Reference 12. By using dipeptide sampling instead of single residue sampling, very good results for loops up to 17 residues have been achieved. When single residue sampling method is used, there are a lot of redundancies in the generated loop candidates, especially for long loops. A number of combinations of backbone dihedrals can lead to very similar loop conformations, due to the nonlinear relation between dihedrals and the backbone coordinates. The dipeptide libraries contain more information of two adjacent residues, thus the redundancies generated by the single residue sampling method due to ignoring the correlation between the two adjacent residues are removed. As a result, using dipeptide sampling method can generate better results in a much more efficient way.

There is no impediment to using polypeptide (such as tripeptide, tetrapeptide and pentapeptide etc.) libraries in addition to the buildup algorithm we are using now. With libraries of longer polypeptide segments implemented, our algorithm will have a capability to deal with more challenging sampling problems that appear in homology modeling.

Program Availability

The PLOP program can be downloaded at no cost by academic users from the Web site of Prof. Matthew Jacobson, our long time collaborator in this project. It can also be purchased from Schrodinger, Inc. as a component of the Prime program, which contains additionally a graphical user interface and other features added by Schrodinger. Incorporation of the latest algorithms into the released version takes some time but there is a systematic process in place for doing this and we expect that at some point, a version will be available for general use containing the capabilities described in this manuscript.

Supplementary Material

Refer to Web version on PubMed Central for supplementary material.

Acknowledgments

This work was supported in part by a grant to RAF from the NIH (GM-52018). RAF is a stockholder in Schrodinger, Inc., which distributes a commercialized version of the PLOP program, Prime, and is on the Board of Directors and Scientific Advisory Board of Schrodinger, Inc.

References

- Baker NA, Sept D, Joseph S, Holst MJ, McCammon JA. Electrostatics of nanosystems: application to microtubules and the ribosome. Proc Natl Acad Sci. 2001; 98:10037–10041. [PubMed: 11517324]
- de Bakker PIW, DePristo MA, Burke DF, Blundell TL. Ab initio construction of polypeptide fragments: Accuracy of loop decoy discrimination by an all-atom statistical potential and the AMBER force field with the Generalized Born solvation model. Proteins. 2003; 51:21–40. [PubMed: 12596261]
- DePristo MA, de Bakker PIW, Lovell SC, Blundell TL. Ab initio construction of polypeptide fragments: efficient generation of accurate, representative ensembles. Protein Struct Funct Bioinformat. 2003; 51:41–55.
- Fiser A, Do RK, Sali A. Modeling of loops in protein structures. Protein Sci. 2000; 9:1753–1773. [PubMed: 11045621]
- Hildebrand PW, Goede A, Bauer RA, Gruening B, Ismer J, Michalsky E, Preissner R. SuperLooper--a prediction server for the modeling of loops in globular and membrane proteins. Nucl Acids Res. 2009; 37:W571–574. [PubMed: 19429894]
- Jacobson MP, Pincus DL, Rapp CS, Day TJ, Honig B, Shaw DE, Friesner RA. A hierarchical approach to all-atom protein loop prediction. Proteins. 2004; 55:351–367. [PubMed: 15048827]
- Michalsky E, Goede A, Preissner R. Loops In Proteins (LIP) a comprehensive loop database for homology modelling. Protein Engineering. 2003; 16:979–985. [PubMed: 14983078]
- Rohl CA, Strauss CE, Chivian D, Baker D. Modeling structurally variable regions in homologous proteins with rosetta. Proteins. 2004; 55:656–677. [PubMed: 15103629]
- Soto CS, Fasnacht M, Zhu J, Forrest L, Honig B. Loop modeling: sampling, filtering, and scoring. Proteins. 2007; 70:834–843. [PubMed: 17729286]
- Spassov VZ, Flook PK, Yan L. LOOPER: a molecular mechanics-based algorithm for protein loop prediction. Protein Engineering, Design & Selection. 2008; 21:91–100.
- Xiang ZX, Soto CS, Honig B. Evaluating conformational free energies: The colony energy and its application to the problem of loop prediction. Proc Natl Acad Sci. 2002; 99:7432–7437. [PubMed: 12032300]
- Zhu K, Pincus D, Zhao S, Friesner RA. Long loop prediction using the protein local optimization program. Proteins. 2006; 65:438–452. [PubMed: 16927380]

- Sellers BD, Zhu K, Zhao S, Friesner RA, Jacobson MP. Toward better refinement of comparative models: predicting loops in inexact environments. Proteins. 2008; 72:959–971. [PubMed: 18300241]
- Peng HP, Yang AS. Modeling protein loops with knowledge-based prediction of sequencestructure alignment. Bioinformatics. 2007; 23:2836–2842. [PubMed: 17827204]
- Fernandez-Fuentes N, Zhai J, Fiser A. ArchPRED: a template based loop structure prediction server. Nucl Acids Res. 2006; 34:W173–W176. [PubMed: 16844985]
- Felts AK, Gallicchio E, Chekmarev D, Paris KA, Friesner RA, Levy RM. Prediction of protein loop conformations using the AGBNP implicit solvent model and torsion angle sampling. J Chem Theory Comput. 2008; 4:855–868. [PubMed: 18787648]
- Jacobson MP, Friesner RA, Xiang Z, Honig B. On the role of the crystal environment in determining protein side-chain conformations. J Mol Biol. 2002; 320:597–608. [PubMed: 12096912]
- Jorgensen WL, Maxwell DS, Tirado-Rives J. Development and testing of the OPLS all-atom force field on conformational energetics and properties of organic liquids. J Am Chem Soc. 1996; 118:11225–11236.
- Kaminski GA, Friesner RA, Tirado-Rives J, Jorgensen WL. Evaluation and reparametrization of the OPLS-AA force field for proteins via comparison with accurate quantum chemical calculations on peptides. J Phys Chem B. 2001; 105:6474–6487.
- Jacobson MP, Kaminski GA, Friesner RA, Rapp CS. Force field validation using protein side chain prediction. J Phys Chem B. 2002; 105:11673–11680.
- Ghosh A, Rapp CS, Friesner RA. Generalized Born model based on a surface integral formulation. J Phys Chem B. 1998; 102:10983–10990.
- Gallicchio E, Zhang LY, Levy RM. The SGB/NP hydration free energy model based on the surface generalized born solvent reaction field and novel nonpolar hydration free energy estimators. J Comput Chem. 2002; 23:517–529. [PubMed: 11948578]
- 23. Eldridge MD, Murray CW, Auton TR, Paolini GV, Mee RP. Empirical scoring functions: I. The development of a fast empirical scoring function to estimate the binding affinity of ligands in receptor complexes. J Comput Aided Mol Des. 1997; 11:425–445. [PubMed: 9385547]
- 24. Hartigan, JA. Clustering alogrithms. New York: Wiley; 1975.
- 25. Hartigan JA, Wong MA. A K-means clustering algorithm. Applied Statistics. 1979; 136:100–108.
- 26. Li X, Jacobson MP, Zhu K, Zhao S, Friesner RA. Assignment of polar states for protein amino acid residues using an interaction cluster decomposition algorithm and its application to high resolution protein structure modeling. Proteins. 2007; 66:824–837. [PubMed: 17154422]
- Bujnicki, JM. Prediction of Protein Structures, Functions, and Interactions. John Wiley & Sons, Ltd; 2009.
- 28. Xiang Z, Steinbach PJ, Jacobson MP, Friesner RA, Honig B. Prediction of side-chain conformations on protein surfaces. Proteins. 2007; 66(4):814–823. [PubMed: 17206724]
- 29. Li, J.; Abel, R.; Zhu, K.; Cao, Y.; Zhao, S.; Friesner, RA. A next generation energy model for high resolution protein structure modeling. Submitted
- Zhu K, Shirts MR, Friesner RA. Multiscale optimization of a truncated Newton minimizer and application to proteins and protein-ligand complex. J Chem Theory Comp. 2007; 3:2108–2119.
- Xiang Z, Honig B. Extending the accuracy limits of prediction for side-chain conformations. J Mol Biol. 2001; 311:421–430. [PubMed: 11478870]



Figure 1.



Figure 2.



Figure 3.



Figure 4.

Figure 6.

Figure 8.

_
~
_
_
_
<u> </u>
U.
<u> </u>
-
-
<u> </u>
-
-
0
_
•
_
\sim
\geq
01
L
_
-
CD
- Hereit
0
-
$\overline{\mathbf{O}}$
<u> </u>
-

NIH-PA Author Manuscript

Number of rotamers in 400 dipeptide libraries

M	190	88	93	68	84	50	47	54	46	40	27	43	35	28	13	26	30	6	11	24
С	156	99	87	75	58	73	45	59	52	37	21	64	56	45	29	41	31	12	13	17
Μ	189	63	83	84	62	48	56	62	61	41	22	81	53	29	21	15	24	20	18	11
Υ	408	231	203	153	130	118	139	130	126	68	55	143	76	68	79	71	64	24	20	28
H	412	282	227	181	156	155	112	111	124	67	55	137	123	104	69	73	57	40	24	33
I	548	214	239	168	217	171	152	174	129	96	80	137	112	126	70	67	71	20	30	20
>	697	372	315	222	269	190	185	198	140	133	88	233	182	171	100	85	128	33	41	24
Г	803	430	417	313	299	240	241	260	190	207	102	242	193	163	101	94	109	43	49	34
¥	843	442	388	364	314	326	276	251	204	174	136	425	265	239	173	146	152	47	60	54
Н	280	178	160	156	121	102	129	88	113	70	49	161	109	89	72	54	62	23	49	30
°	405	217	163	217	181	167	125	139	103	78	99	151	188	139	85	76	104	33	33	36
В	575	290	277	237	208	177	212	195	182	103	95	229	235	184	93	119	94	50	52	55
K	727	307	369	335	290	192	300	244	180	125	71	306	307	247	160	133	149	64	45	51
Е	636	470	358	279	254	249	272	279	220	159	98	303	308	244	163	108	146	68	47	54
Т	744	363	337	339	318	299	272	266	238	194	111	366	369	259	215	138	159	88	65	54
z	679	401	315	352	345	326	314	341	218	175	107	344	348	265	230	178	180	100	65	61
s	823	475	428	451	352	376	295	290	269	199	172	383	477	310	291	192	261	86	96	89
Q	882	578	472	473	391	444	407	441	266	214	149	593	512	420	311	252	299	107	105	116
Ь	516	377	486	417	449	440	401	440	344	283	266	545	771	559	490	299	344	157	132	105
U	1098	749	970	763	705	594	654	550	492	360	259	814	596	403	293	290	295	161	156	119
	ß	Р	D	S	z	Τ	н	К	R	б	Н	А	L	>	I	Υ	Н	Μ	C	Μ

For each number, its row amino acid is the N terminal residue in the dipeptide, and its column amino acid is the C terminal residue in the dipeptide. Except three libraries (Gly-Gly, Gly-Asp and Asp-Gly, marked as bold), other libraries apparently have less rotamers than the old single residue backbone library shared by all residues expect Gly and Pro, which has 866 rotamers.

Proteins. Author manuscript; available in PMC 2012 October 1.

Table II

Average and median loop prediction accuracy of the new sampling algorithm, summarized by loop length. The accuracy is measured by global backbone (N-C α -C) RMSDs in Å

Loop length	Number of cases	Mean	Median	Standard Deviation
14	36	1.19	0.67	1.57
15	30	1.55	0.75	1.82
16	14	1.43	0.80	1.76
17	9	2.30	1.92	2.63
All	89	1.46	0.68	1.81

Table III

Results of 14, 15, and 17-residue loops, obtained by using the dipeptide sampling method. RMSD is "global" backbone RMSD, dE is the enerfgy difference between predicted and native loop

Zhao et al.

NO.	PDB	Starts	Ends	Length	Sequence	RMSD (Å)	dE (kcal/mol)
1	1E6U	A:274	A:287	14	ASKPDGTPRKLLDV	1.94	L-
2	1JP4	A:153	A:166	14	PYYNYQAGPDAVLG	7.26	-43
3	1N0Q	A:24	A:37	14	AGADVNAKDKNGRT	0.22	-4
4	JN0Q	A:57	A:70	14	AGADVNAKDKNGRT	0.52	-13
5	1097	D:156	D:169	14	RPSVFKPLEGAGSP	0.82	-13
9	10CK	A:209	A:222	14	GRSEFSGIVPAKAP	0.93	-22
7	1P3C	A:112	A:125	14	GYRSIRQVTNLTGT	0.32	L-
~	1P3D	A:402	A:415	14	DVYAAGEAPIVGAD	1.74	9
6	1R6X	A:72	A:85	14	SRLADGTLWTIPIT	0.30	1
10	IRDQ	E:273	E:286	14	LQVDLTKRFGNLKN	1.50	-11
11	1RV9	A:225	A:238	14	GTHCTVLERDTFFS	0.26	6
12	IVYR	A:193	A:206	14	SPSSNQRTDQYGGS	0.58	4
13	IVYR	A:235	A:248	14	NAÐNUANDALDIAS	1.17	9
14	1XU1	A:221	A:234	14	PRANAKLSLSPHGT	0.47	4
15	1ZEQ	X:53	X:66	14	ITPQTKMSEIKTGD	0.27	-15
16	2BWR	A:269	A:282	14	KDFGVNSGWRVEKH	0.44	-3
17	2BWR	B:158	B:171	14	NNFGYAQGWRLDRH	4.56	35
18	2C0H	A:40	A:53	14	QAWVNYARDFGHNQ	5.96	108
19	2EX2	A:139	A:152	14	TSIFASHDKAPGWP	0.21	-8
20	2GGC	A:79	A:92	14	HGIPDDAKLLKDGD	0.24	-8
21	2H3L	A:1360	A:1373	14	GPEGPASKLLQPGD	0.28	1
22	202K	A:1221	A:1234	14	SNLKSKYFAVGKIS	1.07	-29
23	2PVQ	A:139	A:152	14	LSDKNAYWLGDDFT	0.66	9
24	2VFR	A:325	A:338	14	AADAQWLSPAYGRD	0.34	-14
25	3B40	A:389	A:402	14	SDFNDGGGVDGWKD	1.28	48
26	3B64	A:44	A:57	14	DSTPHMATSD	0.65	-25

NIH-PA Author	
Manuscript	
NIH-PA	
Author Manus	
cript	

Thao	ot	<u>_1</u>	
LIIdu	cι	aı.	

Starts Ends	Length	Sequence	RMSD (Å)	dE (kcal/mol)
A:177 A:190	14	DLSAIEQGWQNKSS	1.13	-24
A:205 A:218 1	4	SQPAWLFHSVADLS	0.28	-11
A:125 A:138 1	4	TDKSKYKDEINSTN	0.68	1
S:50 S:63 1	4	FVPSETNPFQDNNS	1.03	6
A:163 A:176 1	4	FGSDGHTASIFPDS	0.21	0
A:550 A:563 1	4	KRVVGMTLDYGAMN	1.85	1
A:67 A:80	4	GKVSAKDYVNEATG	1.78	9–
A:95 A:108	4	NRVGVNGLDKAGST	0.94	7
A:164 A:177	4	DVSTDSTPIPQDAT	0:30	-14
A:277 A:290	4	ARVNESLTYQGYDE	62.0	28
A:157 A:171 1	5	KVTDGNGYWNWKGTN	0.32	-1
A:121 A:135	5	GQGGVKLQDKKVSWW	0.42	-1
X:19 X:33 I	5	SSDHPNLQPYLSRCN	0.28	-4
A:486 A:500 I	5	RETLVNPTLIEAGEI	0.35	5
A:298 A:312	15	DKSARAQASGPLRGI	1.68	L-
A:1112 A:1126	15	QKPDGVFQEDGPVIH	0.31	-8
A:283 A:297 1	5	QGRFDTYPKRRGITR	2.78	-39
A:361 A:375 1	S	LNLQDYGIAAGNSAN	0.39	-4
A:172 A:186 1	S	QLCPGCGCSTLNQYF	0.88	<u>9</u> –
A:477 A:491	5	TAVPHPNVKPMAYAN	0.61	<u> </u>
A:1033 A:1047	5	ALPHFDYTSDFSKGN	0.21	1
L:454 L:468	15	KGDNVICAPWEMPKQ	1.81	-12
A:10 A:24 1	5	GDVKGESKDKTHAEE	0.36	-2
A:392 A:406 1	2	NLSTKNAPSGTLVGD	7.10	67
B:156 B:170 1	2	IPDVPGFSWVTPCIS	2.55	25
A:701 A:715 1	2	VQGGATDLGGYYSPN	1.23	3
A:58 A:72	15	DLRGYGDTTGAPLND	0.46	12
A:354 A:368]	5	GGGRKRKGEPIDHGV	0.51	<u>9</u> –
A:1339 A:1353	15	GVGGRGNPFRPDDDG	1.10	-10

NIH-PA Author	
Manuscript	
NIH-PA	
Author Manus	
cript	

NO.	PDB	Starts	Ends	Length	Sequence	RMSD (Å)	dE (kcal/mol)
56	202K	A:1220	A:1234	15	FSNLKSKYFAVGKIS	1.36	-29
57	20IT	A:290	A:304	15	FMEPCYGSCTERQHH	0.54	9
58	2PKF	A:26	A:40	15	DATASTSANHTHEAT	2.34	8–
59	2V3V	A:382	A:396	15	WGLPEGRIAPEPGYH	0.35	4
60	3A3P	A:286	A:300	15	DSNDNIASFSNRQPE	0.18	5
61	3A64	A:350	A:364	15	SPASHVPAPEAGEWF	2.55	3
62	3BB7	A:231	A:245	15	SEMQYGGPNEGSGAY	6.26	-19
63	3BF7	A:49	A:63	15	DVRNHGLSPREPVMN	5.66	72
64	3CSS	A:95	A:109	15	LLRDVPSSDVISIDR	2.36	-24
65	3EA1	A:136	A:150	15	YFVDPIFLKTEGNIK	0.49	7
66	3F1L	A:99	A:113	15	NAGLLGDVCPMSEQN	1.05	-16
67	1C1K	A:31	A:46	16	NGKYDVIKYNWCMRVS	0.66	12
68	1DJ0	B:19	B:34	16	DGSKYYGWQRQNEVRS	7.08	72
69	IGPI	A:308	A:323	16	LISNAdQAD4INAV	0.33	-2
70	1UG6	A:340	A:355	16	GAAYPDLWTGEAVVED	0.43	4
71	1WHI	A:88	A:103	16	RDDKSPRGTRIFGPVA	0.66	-17
72	1WM3	A:67	A:82	16	INETDTPAQLEMEDED	0.32	13
73	1ZHV	A:20	A:35	16	SASEAIPAWADGGGFV	0.64	-10
74	2BG1	A:708	A:723	16	SPSIWGNERFALDPSV	2.15	4
75	2GGC	A:184	A:199	16	LHYDSRETNVVLKPGM	1.08	-89
76	2HKJ	A:418	A:433	16	TKIPYKSAGKESIAEV	0.42	-42
77	2PKF	B:25	B:40	16	LLPEHLHKVSLSFLVD	0.93	-93
78	2PUH	A:70	A:85	16	DSPGFNKSDAVVMDEQ	1.52	-14
79	2PYW	A:321	A:336	16	NKDGPGEAYLADIYNN	2.57	-37
80	3IFE	A:14	A:29	16	KIDTQSNEDSHTVPTT	1.18	-55
81	1KWG	A:314	A:330	17	QPGPVNWAPHNPSPAPG	1.93	-41
82	1QLW	A:145	A:161	17	FRFGPRYPDAFKDTQFP	0.41	0
83	1VJU	A:277	A:293	17	LPPRARWGYNWQPEPGT	0.63	-2
84	2FAO	A:814	A:830	17	AGDDPWADYAGTRQRIS	0.50	21

Z
Ξ
I
<u> </u>
ູບ
⋗
7
7
F
Ъ
0
2
0
5
Ē
S
0
- <u>-</u>
4

NO. 85 87 88 88 89 89

NIH-PA Author Manuscript

Zhao et al.

PDB	Starts	Ends	Length	Sequence	RMSD (Å)	dE (kcal/mol)	
2HDW	A:131	A:147	17	DPSYTGESGGQPRNVAS	2.22	-126	
2PEF	A:191	A:207	17	TNGMIDKILNKIDPEDV	1.92	77	
3A3P	A:262	A:278	17	SGNEGAPSPSYPAA YPE	0.52	-250	
3H2G	A:124	A:140	17	DYLGLGKSNYAYHPYLH	4.07	56	
ЗНИН	A:71	A:87	17	QEMEFEPKASRPTPGSA	8.56	-39	
				Average	1.46	L	
				Median	0.68	-4	
				Standard Deviation	1.81	41	

Table IV

Results for a test set of 13-residue loops, obtained by using the single residue sampling and dipeptide sampling methods, respectively. RMSD is "global" backbone RMSD, in Å. dE is the energy difference between predicted and native loop, in kcal/mol. The CPU time refers to the cumulative time counted on a single processor, in $hours^a$

aua	Charle	E udo	Common	Single	e Residu	ie Samp.	Dip	eptide	Samp.
LUD	SUALUS	EIIUS	aouanhac	RMSD	dE	CPU time	RMSD	dE	CPU time
1AVW	A:91	A:103	IGNGTLN9NHNH	5.45	1	73	2.10	-11	59
1JA1	A:515	A:527	KSQFRLPFKSTTP	0.80	<u> </u>	196	0.77	9–	177
10WL	A:394	A:406	ASSGMDPKPLRIF	3.00	6-	158	2.43	21	179
1Q8F	A:151	A:163	GGAYGTGNFTPSA	1.66	-20	06	1.71	-17	74
2C0H	A:40	A:52	QAWVNYARDFGHN	0.40	15	153	3.80	28	70
2ECE	A:180	A:192	WEIDRGDQYLAYD	2.40	-12	191	2.06	-33	55
2FB5	A:99	A:111	ERNETLEALIQTG	1.98	1	84	1.93	11	54
2IHT	A:320	A:332	PTVNPIPRVYRPD	3.56	-11	204	3.60	-10	115
2PLX	A:91	A:103	IDNNTLNSNASH	3.76	-2	83	0.60	-4	72
2VUN	A:320	A:332	LNTGVIAPGKEAD	0.16	-3	125	0.18	-3	119
3D3Z	A:36	A:48	WDYDPSDGPSDSW	2.62	-25	78	2.89	-21	71
3D08	A:76	A:88	TUPYGKTLDVDFE	1.83	-11	68	1.00	-10	81
3DRF	A:550	A:562	KRVVGMTLDYGAM	0.63	10	153	0.23	1	128
3DTB	A:560	A:572	KEDALNLKGLGDV	3.43	-17	170	2.68	-20	140
3E9T	A:482	A:494	DGTASAGTDFVGR	0.34	-3	52	0.18	-2	36
3EA1	A:137	A:149	FVDPIFLKTEGNI	0.32	-4	146	0.31	1	132
3G2E	A:56	A:68	DKEILFPYAVEGE	2.04	-24	102	1.32	-17	62
			Mean	2.02	7-7	126	1.63	-5	95
			Stardard Deviation	1.50	11	48	1.19	15	44

^aAll calculations were conducted on a much faster Linux cluster than the one used in super long loop predictions (eg. data in Table VII). Each node on this cluster has an Intel Xeon E5405 CPU @ 2.0G Hz.

Table V

Summary of the results for the outliers (RMSD>2Å) in Table IV, new energy model is used. RMSD is "global" backbone RMSD, dE is the energy difference between predicted and native loop

ana	Ctorts	Pude	T anoth	Old Ene	ergy Model	New Ene	ergy Model
1 10	SIALS	THUS	гелдш	RMSD (Å)	dE (kcal/mol)	RMSD (Å)	dE (kcal/mol)
1JP4	A:153	A:166	14	7.26	-43	4.89	-20
2BWR	B:158	B:171	14	4.56	35	0.33	<u>9</u> –
2C0H	A:40	A:53	14	5.96	108	3.54	26
1RA0	A:283	A:297	15	2.78	-39	1.14	-2
1ZHX	A:392	A:406	15	7.10	<i>L</i> 9	4.03	18
2AEB	B:156	B:170	15	2.55	22	0.87	7
2PKF	A:26	A:40	15	2.34	8-	0.45	9
3A64	A:350	A:364	15	2.55	3	0.21	
3BB7	A:231	A:245	15	6.26	-19	3.89	<u>9</u> –
3BF7	A:49	A:63	15	5.66	<i>2L</i>	0.24	2
3CSS	A:95	A:109	15	2.36	-24	2.57	-12
1DJ0	B:19	B:34	16	7.08	72	6.20	51
2BG1	A:708	A:723	16	2.15	+	0.64	13
2HDW	A:131	A:147	17	2.22	-126	2.43	25
2PYW	A:321	A:336	16	2.57	-37	1.18	8
3H2G	A:124	A:140	17	4.07	26	3.16	85
3HUH	A:71	A:87	17	8.56	-39	6.52	7
			Mean	4.47	9	2.49	10
			Median	4.07	+ -	2.43	7
		Standard	Deviation	2.22	85	2.10	21

Table VI

tion
orma
infc
ing
pack
stal J
cry
ithout
iw b
1 and
with
cases
loop
esidue
14-1
five
l of
mparison
20

aua	Ctonto	Endo		With Cry	stal Packing	Without Cr	rystal Packing
	Status		# 01 Loop Residues with Urystal Contacts*	RMSD (Å)	dE (kcal/mol)	RMSD (Å)	dE (kcal/mol)
1R6X	A:72	A:85	2	0.30	1	0.47	-117
1VYR	A:235	A:248	Ι	1.17	9	0.96	-18
3B40	A:389	A:402	0	1.28	48	0.40	19
3BY9	A:205	A:218	5	0.28	-11	0.35	-104
3EHR	A:95	A:108	5	0.94	L	0.56	-1

 a The cutoff is 4Å.

Table VII

cumulative time counted on a single processor. Since most of the calculations are highly parallel, most of cases can be finished in 1–3 days in actual time Comparison of the computational costs of two sampling algorithms: single residue sampling and dipeptide sampling. The CPU time refers to the

	loon lenoth (residue)		CPU Time	(day) ^a	
	(many) unGuna Joon	Mean	Median	Min	Max
	11	12.3	11.7	5.0	25.4
Zhu et al.	13	19.1	15.6	8.4	43.9
	13	31.4	22.5	12.3	114.6
	14	9.0	8.7	4.8	15.7
this work	15	12.9	11.0	1.9	34.2
	16	11.6	9.9	4.2	24.0
	17	17.0	16.5	10.1	23.3

^aAll calculations were conducted on the same cluster of Intel or AMD processors in the range of 1.4GHz or 900MHZ.